	Comply with PL 1: Harvest above	305,017 acres) 13-291 on only 14% acres; CMAI on 86% of acres; mand volume (46 mmbf/yr)	DEIS acres h	arvested	DEIS total carbon stored in harvest volume (tons) Initial harvest CO2(e) loss			Annual DEIS based on c emissions in (with 20% carbon emissions rec 95 yrs and 33% emissions recapture for ha	arbon harvest apture for harvest below 6 carbon	Total CO2(e) emissions in 25 yrs (tons)	Total CO2(e) emissions in 100 yrs (tons)	Multiplier above CEQ annual (25,000/yr) for 25 yr period	Multiplier above CEQ annual (25,000/yr) for 100 yr period
	Age class	Estimated above-ground biomass carbon storage by age (tons/ac)	First 25 yrs harvest N @ 65 yrs and 120 yrs.	lext 75 yrs harvest @ 120 yrs		Next 75 yrs	Total 100 yrs	25 yrs	Next 75 yrs				
SG	55 65 120 120	494 585 776 776	37,390 23,223	224,460	21,873,150 - 18,021,048	na 174,180,960 -	21,873,150 174,180,960 18,021,048	2,568,783 - 1,772,478	5,710,581 -	108,531,523	574,880,360		
OG	120 totals	776		19,944	-	15,476,544	15,476,544 229,551,702	-	507,404	108,531,523	574,880,360		
	F				ture based o	on regrowth (For 37,390 SG For 224,460 SG	onal reharvest where a acres to be grown and reha acres to be grown and reha acres to be grown and reha	arvested at age 65 arvested at age 120	minus Co2 1,491,321 0 1,692,534 3,183,855	70,363,240 36,952,363 26,496,024 133,811,627		
					Total	CO2(e) loss in	n 25 and 100 years	105,347,668	441,068,733	168	175		

	Comply with I	ion alt: (85,125 acres) PL 113-291on 100% of acres t only demand volume (46 mmbf/yr)	Conservati acres harv		Conserv alt. total carbon stored in harvest volume (tons)			Annual DEIS based on c emissions in (with 20% carbon emissions rec 95 yrs and 339 emissions recapture for ha	arbon harvest capture for harvest below 6 carbon	Total CO2(e) emissions in 25 yrs	Total CO2(e) 100 yrs	Multiplier above CEQ annual (25,000/yr) for 25 yr period	Multiplier above CEQ annual (25,000/yr) for 100 yr period
					Initial l	narvest CO2(e) loss						
	Age class	Estimated above-ground biomass carbon storage by age (tons/ac)	First 25 yrs harvest N @ 55 yrs and 120 yrs	lext 75 yrs harvest @ 55 yrs and 120 yrs	First 25 yrs	Next 75 yrs	Total 100 yrs	25 yrs	Next 75 yrs				
SG OG	55 120	494 776	23,727 3,500	52,273 5,625	11,721,138 2,716,000	25,822,862 4,365,000	37,544,000 7,081,000	1,376,530 267,135	1,010,879 143,108	41,091,634	127,640,655		
	tot	tals	,	,			44,625,000			41,091,634	127,640,655		
				Plus recap	ture based o		For 76,000 SG	onal reharvest where a acres to be grown and reh- es to be grown and reharve	arvested at age 55	minus Co2 4,260,140 255,086 4,515,227	79,923,084 5,764,039 85,687,123		
						Total	CO2(e) loss i	n 25 and 100 years		36,576,407	41,953,532	58	16

	D	EIS beyond	CMAI (224,460 ac	res) w/harvest at	120 yrs		5	100						
	25	100				•	Years until regeneration begins	100 years from now, what will regrowth be?				Total CO2e recaptured in the first 100 years	67%	
2020 age	2045	2120 age	% allocated according to PCT acreage	Acres distribution by age class (based on GIS PCT acres)	Current Age	120	yrs to germ (5 yrs)	yrs live tree regrowth at 100 yrs out	tons/ac	additional tons capture based on re-growth at 100 yrs from 2020		additional CO2(e) tons capture based on re-growth at 100 yrs	67% Lost	
55	80	180	2.6%		55	65	70	30	188			4,020,582	2,693,790	
50	75	175	9.6%		50	70			124			9,766,596	6,543,619	
45	70	170	22.5%		45	75			99			18,312,367	12,269,286	
40	65	165	20.0%		40	80			74			12,208,245	8,179,524	
35	60	160	19.6%		35	85			49			7,976,053	5,343,956	
30	55	155	14.1%		30	90			25			2,868,938	1,922,188	
25	50	150	11.6%		25	95	100	0	0			-	-	
			100.0%	224,460						15,028,006		55,152,780	36,952,363	
acres	to harvest a	above CMAI	224,460											
Old Growth			25											
		yrs to germ (5 yrs)		tons/ac						yrs to germ (5 yrs)	yrs regrow th	tons/ac		
		(5 413)	yrs regrowth		add'l tons,	additional					after		additional	
1st 25 yrs	Acres		after 25 yrs	ı	25 yrs	CO2(e) 25 yrs	67% Lost	Next 75 yrs	Acres		100 yrs		CO2(e) 100 yrs	67% Lost
2020	4,645	10			344,165	1,263,085	846,267	2045	4,645			585	9,978,372	6,685,509
2025	4,645	15			229,443	842,057	564,178	2050	4,645	40		538	9,178,418	6,149,540
2030	4,645	20	5	25	114,722	421,028	282,089	2055	4,645	45	55	492	8,378,464	5,613,571
2035	4,645	25			-	-	-	2060	4,645	50		445	7,578,510	5,077,602
2040	4,645	30	-5		-	-	-	2065	1,366		45	380	1,906,370	1,277,268
	23,223						1,692,534		19,944					24,803,490
									43,167					
				10	O year Old Gro	wth CO2e total		26,496,024						

	DEIS below	CMAI (37,390 a	cres) w/harv	est at 65	yrs	5	100									
	Additional years needed to reach 65 yrs						100 years from now, what will regrowth be?				80%		@	100 years		
		Acres distribution by age class (based on GIS PCT acres)	Current Age	25	65	yrs to germ (5 yrs)	In 100 yrs: yrs live tree re-growth after harvest at 65 yrs	tons/ac	additional tons capture based on re-growth to 65 yrs	additional CO2(e) tons capture based on re-growth to 65 yrs	80% lost	yrs live tree growth - re- harvest	tons/ac	add'l tons after re- harvest	add'l CO2e tons after re- harvest	80% Lost
55+	15.0%	5,609	55	80	10	15	65	585	3,283,160	12,049,197	9,639,357	20	99	554,120	2,033,620	1,626,896
50-54	25.0%	9,348	50	75	15	20	65	585	5,471,933	20,081,994	16,065,595	15	74	692,650	2,542,025	2,033,620
45-49	30.0%	11,217	45	70	20	25	65	585	6,566,320	24,098,393	19,278,714	10	49	554,120	2,033,620	1,626,896
40-44	30.0%	11,217	40	65	25	30	65	585	6,566,320	24,098,393	19,278,714	5	25	277,060	1,016,810	813,448
	100% 37,390							21,887,732		64,262,381					6,100,859	
	37,390									Grand total	70,363,240					

25 in 25 yrs: yrs live tree tons/ac re-growth for harvest at 65 yrs additional tons Add'l CO2(e) at Current Age 25 years growth 80% lost capture 10 277,060 1,016,810 813,448 55 49.4 5 24.7 230,883 847,342 677,873 50 0 45 1,491,321

Conserva	ation Alternative (44	w/harve	st at 55 yrs	5	100										
				Additional		100 years from									
				years needed	Years until	now, what will									
				to reach 55 yrs	regen. begins	regrowth be?				80%		@	100 years		
	Acres								additional						
	distribution by				yrs to germ	In 100 yrs: yrs	/	additional tons	• •			/		- 4411 602 -	
	age class (based	Current		55	(5 yrs)	re-growth after harvest at 55 yrs	tons/ac	capture based on re-growth	capture based on re-growth		yrs growth	tons/ac	add'l tons after re-	add'l CO2e tons after re-	
	on GIS PCT acres)	Age	25			narvest at 55 yrs		to 55 yrs	to 55 yrs	80% lost	re-harvest		harvest	harvest	80% lost
55+	8,480	55	80	0	5	55	492		15,297,200	12,237,760	40	316	2,681,037	9,839,405	7,871,524
50-54	4,790	50	75		10	55	492		8,640,753	6,912,603	35	252	1,206,793	4,428,929	3,543,143
45-49	3,485	45	70		15	55	492		6,286,644	5,029,315	30	188	654,204	2,400,929	1,920,744
40-44	3,485	40	65	15	20	55	492	1,712,982	6,286,644	5,029,315	25	124	430,398	1,579,559	1,263,647
35-39	3,485	35	60	20	25	55	492	1,712,982	6,286,644	5,029,315	20	99	344,318	1,263,647	1,010,918
30-34	3,485	30	55		30	55	492		6,286,644	5,029,315	15	74	258,239	947,735	758,188
25-29	3,485	25	50		35	55	492		6,286,644	5,029,315	10	49	172,159	631,824	505,459
20-24	3,485	20	45		40	55	492		6,286,644	5,029,315	5	25	86,080	315,912	252,729
15-19	3,485	15	40		45	55	492		6,286,644	5,029,315					17,126,352
10-14	3,485	10	35	45	50	50	445	1,549,431	5,686,412	4,549,129					
5-9	3,485	5	30	50	55	45	380	1,325,624	4,865,041	3,892,033					
3 3	44,636					.0	300	21,388,533	.,000,012	62,796,732					
44,636									Grand total	79,923,084					
		Total w/ re-h	narvest			25				, ,					
						in 25 yrs: yrs									
						re-growth for	tons/ac								
					Current	harvest at 55 yrs	toris/ac		Add CO2(e) at						
					Age	•		•	25 years growth	80% lost					
					55	20	99		3,074,814	2,459,851					
					50	15	74	,	1,302,626	1,042,101					
					45		49		631,824	505,459					
					40	5	25	86,080	315,912	252,729					
										4,260,140					
										4,200,140					

Assumptions

Acres

		t	ons/ac added:
	Age Cla	Leighty Mg/ha	
Second growth in DEIS scenario to be harvested at CMAI:	0	0	0
Total acres: 224,460	5	10	25
Split between age groups 25-55 based on percentage splits of USFS PCT acres	10	20	49
Since all to be harvested over 100 years, assumed youngest stands were at least 25 years old.	15	30	74
(25 + 100 = 125; may be harvested in year 95)	20	40	99
Second growth in DEIS scenario to be harvested below CMAI (65 years):	25	50	124
Total acres: 37,390	30	76	188
Split between age groups 40-55 based on approximate ratios of USFS PCT acres	35	102	252
Since all to be harvested over 25 years, assumed youngest stands were at least 40 years old.	40	128	316
Old Growth in DEIS scenario:	45	154	380
23,223 acres harvested over first 25 years	50	180	445
Assumed a consistent number of acres harvested each period	55	199	492
19,944 additional acres harvested next 75 years	60	218	538
Assumed a consistent number of acres harvested each period until acres run out	65	237	585
Second growth, Conservation Alternative:	70	256	632
44,636 acres total without re-harvest	75	275	679
At least 70,000 acres harvested including re-harvest, over 100 years	80	278	687
Split according to our projections of acres needed for harvest to sustain 46 mmbf/yr after 2025	85	281	694
Old growth, Conservation Alternative:	90	284	701
3,500 acres harvested over the first 25 years	100	290	716
Assumed a consistent number of acres harvested each period	110	302	746
5625 additional acres harvested next 75 years	120	314	776
Assumed a consistent number of acres harvested each period until acres run out	130	326	805
	140	338	835
	150	350	865

Carbon

Used Leighty et. Al. 2006. Figure 2 to estimate Carbon emissions by age class. See table to right

Carbon lost to durable goods

Second growth less than 100 years of age:

Assumed 20% of carbon retained in durable goods, 80% lost

Old growth and second growth over 100 years of age:

Assumed 33% of carbon retained in durable goods, 67% lost

Regeneration

Assumed stands take 5 years after harvest to germinate and begin regeneration

Cumulative

			25				67%							
		yrs to	yrs								yrs			
		germ	regrowth	tons/ac						yrs to germ	regrowth	tons/ac		
		(5 yrs)	after 25	toris/ ac	add'l tons,	additional				(5 yrs)	after 100	toris/ ac	additional	
1st 25 yrs	Acres	(3 yi3)	yrs		25 yrs	CO2(e) 25 yrs	67% Lost	Next 75 yrs	Acres		yrs		CO2(e) 100 yrs	67% Lost
2020	700	10	15	74	51,870	190,363	127,543	2045	700	35	65	585	1,503,867	1,007,591
2025	700	15	10	49	34,580	126,909	85,029	2050	700	40	60	538	1,383,304	926,814
2030	700	20	5	25	17,290	63,454	42,514	2055	700	45	55	492	1,262,741	846,036
2035	700	25	0	0	-	-	-	2060	700	50	50	445	1,142,177	765,259
2040	700	30	-5		-	-	-	2065	700	55	45	380	977,196	654,721
	3,500						255,086	2070	700	60	40	316	812,215	544,184
			_					2075	700	65	35	252	647,234	433,647
Conservation A	Alternative!!!!							2080	700	70	30	188	482,253	323,109
OLD GROWTH								2085	25	75	25	124	11,331	7,592
								5,625					5,508,953	
					1	00 year Old Growt	h CO2e total	5,764,039						

Conservation Alternative

Acres according to our ALL PCT Analysis at 46 mmbf/year

Age Class	Annual	5-yr
55+	1696	8480
50	958	4790
45	697	3485
40	697	3485
35	697	3485
30	697	3485
25	697	3485
20	697	3485
15	697	3485
10	697	3485
5	697	3485